

Road



Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>Laura Wyble</b>	Address <b>PO Box 403</b>	City <b>TRINITY</b>	State <b>TEXAS</b>	Zip <b>75862</b>
----------------------------	------------------------------	------------------------	-----------------------	---------------------

**2) WELL LOCATION**

County <b>Walker</b>	Physical Address <b>1 mile S. Huntsville ON I-45</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77340</b>
-------------------------	---	---------------------------	--------------------	---------------------

**3) Type of Work**

☒ New Well ☐ Deepening  
☐ Reconditioning

Lat.		Long.		Grid # <b>60-20-6</b>
------	--	-------	--	-----------------------

**4) Proposed Use (check)** ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

**5) N↑**

**6) Drilling Date**

Started **8/9/01**  
Completed **8/10/01**

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
<b>6.75</b>	<b>-1.5</b>	<b>227</b>

**7) Drilling Method (check)**

☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other

From (ft)	To (ft)	Description and color of formation material
-----------	---------	---

<b>0</b>	<b>1</b>	<b>Bit t.s.</b>
<b>1</b>	<b>21</b>	<b>Br.sdy.cl.</b>
<b>21</b>	<b>41</b>	<b>Wh.cl.</b>
<b>41</b>	<b>58</b>	<b>Sd.</b>
<b>58</b>	<b>61</b>	<b>Wh.cl.</b>
<b>61</b>	<b>81</b>	<b>Sd. w/cl.st.</b>
<b>81</b>	<b>91</b>	<b>Sd.</b>
<b>91</b>	<b>101</b>	<b>M.cl.</b>
<b>101</b>	<b>141</b>	<b>Sd.</b>
<b>141</b>	<b>200</b>	<b>Br.cl.</b>
<b>200</b>	<b>227</b>	<b>Sand</b>

**8) Borehole Completion** ☒ Open Hole ☐ Straight Wall

☐ Under-reamed ☐ Gravel Packed ☐ Other

If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<b>4</b>	<b>N</b>	<b>PVC Casing</b>	<b>-1.5</b>	<b>205</b>	
<b>2.5</b>	<b>N</b>	<b>Undercut screen</b>	<b>207</b>	<b>227</b>	<b>#12</b>

**9) Cementing Data**

Cementing from **-1.5** ft. to **205** ft. # of sacks used **21**  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_

Method Used **Pressure**

Cementing By **R. McPike**

Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.

Method of verification of above distance \_\_\_\_\_

**13) Plugged**

☐ Well plugged within 48 hours

Casing left in well:

Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other

Depth to pump bowls, cylinder, jet, etc., **200** ft.

**15) Water Test**

**Typetest** ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated

Yield: **7** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?

☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?

Type of water **Good** Depth of Strata **27**

Was a chemical analysis made? ☐ Yes ☒ No

FILE ID	REQ#
EMP #	DESC CO
<b>SEP 05 2001</b>	

**11) Water Level**

Static level **175** ft. below \_\_\_\_\_ Date **/ /**  
Artesian Flow \_\_\_\_\_ gpm Date **/ /**

**12) Packers**

Type	Depth
<b>2 - 2.5" K Packers</b>	<b>200-201'</b>

Company or Individual's Name (type or print) **Holly Water Wells, Inc.**

Lic. No. **3114W**

Address **2928 State Hwy 19**

City **Huntsville**

State **TX**

Zip **77320**

Signature **Raymond McPike**  
Licensed Driller/Pump Installer

Date

Signature

Apprentice

Date



ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

# State of Texas WELL REPORT

Texas Department of Licensing &  
Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

77340

1) OWNER Lepstar Development (Name) ADDRESS 140 State Hwy 19 (Street or RFD) Huntsville (City) TX (State) (Zip)  
2) ADDRESS OF WELL'S LOCATION: 140 State Hwy 19 (Street, RFD or other) Huntsville (City) TX (State) (Zip) Long. \_\_\_\_\_ Lat. \_\_\_\_\_  
County Walker Grid # 60-20-6

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

(4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

## 6) WELL LOG:

Date Drilling:

Started 2-16 1900

Completed 2-17 1900

## DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

10" Surface 10'

6 3/4" 10'

## 7) DRILLING METHOD (Check):

☐ Driven

☐ Air Rotary ☒ Mud Rotary ☐ Bored

☐ Air Hammer ☐ Cable Tool ☐ Jetted

☐ Other \_\_\_\_\_

N

From (ft.) To (ft.) Description and color of formation material

0-3 Clay

3-16 Sand

6-11 Clay

11-14 Sand

14-15 Sandstone

15-37 Sand

37-40 clay

40-42 Rock

42-68 clay

68-87 Sand

8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall

☐ Underreamed ☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>77'</u>	<u>40</u>
<u>4</u>	<u>N</u>	<u>PVC Screen</u>	<u>77'</u>	<u>87'</u>	<u>8</u>

## 9) CEMENTING DATA

Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_  
0 ft. to 10 ft. No. of sacks used 5

Method used \_\_\_\_\_

Cemented by Richard Miken

Distance to septic system field lines or other concentrated contamination 150 ft. pos

Method of verification of above distance Tape

## 10) SURFACE COMPLETION

☐ Specified Surface Slab Installed

☒ Specified Steel Sleeve Installed

☐ Pitless Adapter Used

☐ Approved Alternative Procedure Used

## 11) WATER LEVEL:

Static level 52 ft. below land surface Date 2-17-00

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Formation Type Rebber Depth 77'

13) ☐ Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

## 14) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder

☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 85' ft.

## 15) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated

Yield: 10 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 16) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? good Depth of strata 19'

Was a chemical analysis made? ☐ Yes ☒ No

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Wells

(Type or print) FILE ID

WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 11788

(Street or RFD)

Trinity (City) TX (State) 75862 (Zip)

(Signed)

Vernon Gray  
(Licensed Well Driller)

JUN 05 2000

DESCO (Signed)

Richard Miken  
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

# State of Texas WELL REPORT

Texas Department of Licensing &  
Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

1) OWNER Pineview Homes (Name) ADDRESS 140 Hwy 19 (Street or RFD) Huntsville (City) Tx (State) 77340 (Zip)  
2) ADDRESS OF WELL'S LOCATION: 140 Hwy 19 (Street, RFD or other) Huntsville (City) Tx (State) 77340 (Zip) Long. \_\_\_\_\_ Lat. \_\_\_\_\_  
County Walker Grid # 60-20-6

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

(4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRC? ☐ Yes ☐ No

5)

## 6) WELL LOG:

Date Drilling:

Started 11-5 1998Completed 11-10 1998

## DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

10" Surface 10'6 3/4" 10' 84'

## 7) DRILLING METHOD (Check):

☐ Driven☐ Air Rotary ☒ Mud Rotary ☐ Bored☐ Air Hammer ☐ Cable Tool ☐ Jetted☐ Other \_\_\_\_\_

N

From (ft.) To (ft.) Description and color of formation material

0-12 clay12-14 shale14-40 sand40-51 clay51-57 sand57-68 clay68-70 sand70-71 sandstone71-84 sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall☐ Underreamed ☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>74</u>	<u>#40</u>
<u>4</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>74'</u>	<u>84'</u>	<u>#8</u>

## 9) CEMENTING DATA

Cemented from 0 ft. to 10 ft. No. of sacks used 8  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_

Method used \_\_\_\_\_

Cemented by Richard McKeeDistance to septic system field lines or other concentrated contamination N/A ft.Method of verification of above distance No Lines or Tanks

## 10) SURFACE COMPLETION

☐ Specified Surface Slab Installed☒ Specified Steel Sleeve Installed☐ Pitless Adapter Used☐ Approved Alternative Procedure Used

## 11) WATER LEVEL:

Static level 52 ft. below land surface Date 11-10-98

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Rubber Type Rubber DepthFormation 74'Formation 54'13) ☐ Well plugged within 48 hours

Casing left in well: Cement/bentonite placed in well: Sacks used:

From (ft) To (ft) From (ft) To (ft)

## 14) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder☐ Other \_\_\_\_\_Depth to pump bowls, cylinder, jet, etc., 80 ft.

## 15) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ EstimatedYield: 7 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 16) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? good Depth of strata 13'Was a chemical analysis made? ☐ Yes ☒ No

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPKADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)(Signed) Vernon Gray (Licensed Well Driller) Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

[illegible]



ATTENTION OWNER: Confidentiality  
Privilege Notice on on reverse side  
of Well Owner's copy (pink)

# State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council  
MC 177  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530

1) OWNER Gene Poldrach ADDRESS 716 Graham Rd. Huntsville Tx 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 716 Graham Rd. Huntsville TX. 77340 GRID # 60-20-6  
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

## 6) WELL LOG:

Date Drilling:

Started 5-20 1998Completed 5-24 1998

## DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	315
3 3/8	315	343

## 7) DRILLING METHOD (Check):

☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other \_\_\_\_\_

↑

From (ft.) To (ft.) Description and color of formation material

0-17 clay 238-242 Rock  
17-31 Rock 242-255 Shale  
31-43 clay 255-258 Rock  
43-45 Rock 258-277 Shale  
45-90 Sand 277-280 Rock  
90-124 clay 280-302 Shale  
124-130 Rock 302-306 Rock  
130-141 clay 306-313 clay  
141-147 Rock 313-343 Sand  
147-172 clay  
172-175 Sand  
175-187 clay  
187-218 clay  
218-220 Rock  
220-238 Shale

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall

☐ Underreamed ☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	315'	*40
2	N	PVC Blank	308'	323'	*40
2	N	PVC Screen	323'	343'	*8

## 9) CEMENTING DATA [Rule 338.44(1)]

Cemented from 315 ft. to 215 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 6

Method used pressureCemented by Richard McKeeDistance to septic system field lines or other concentrated contamination 163 ft.Method of verification of above distance Tape

## 10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]  
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
☐ Pitless Adapter Used [Rule 338.44(3)(b)]  
☐ Approved Alternative Procedure Used [Rule 338.71]

## 11) WATER LEVEL:

Static level 167 ft. below land surface Date 5-24-98  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Rubber Type K Depth 308'

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 273 ft.

## 14) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 35 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 30'

Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well  
(Type or print)

WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1788  
(Street or RFD)

Trinity  
(City)

(Signed) Vernon Gray  
(Licensed Well Driller)

(Signed) Richard McKee  
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

8000 - 0000

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

# State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER Woody Harmon ADDRESS 347 A Old Phelps Rd Huntsville, Tx  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 347 A Old Phelps Rd Huntsville Tx STATE WELL # \_\_\_\_\_  
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) 60-20-6  
N

## 6) WELL LOG:

Date Drilling: May 20, 1996  
Started May 22, 1996  
Completed May 22, 1996

## DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	322

7) DRILLING METHOD (Check): ☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0	1	top soil
1	8	br. cl.
8	37	sa.
37	41	br. cl.
41	61	br. & wh. cl.
61	78	br. cl.
78	98	sa.
98	161	br. cl.
161	166	sa. st.
166	181	br. cl.
181	195	bl.
195	201	r. st.
201	221	r. & cl. st.
221	261	br. cl.
261	301	mily cl.

8) Borehole Completion (Check): ☒ Open Hole ☐ Straight Wall

☐ Underreamed ☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC casing	-1.5	308	
2	N	PVC screen	311	321	

## 9) CEMENTING DATA [Rule 338.44(1)]

Cemented from -1.5 ft. to 12 ft. No. of sacks used 2Cemented from 222 ft. to 322 ft. No. of sacks used 7Method used by pressureCemented by Henry Lee

Distance to septic system field lines \_\_\_\_\_ ft.

Method of verification of above distance no septic

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

## 14) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: 10 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? good Depth of strata: 15

Was a chemical analysis made? ☐ Yes ☒ No

## SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]  
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
☒ Pitless Adapter Used [Rule 338.44(3)(b)]  
☐ Approved Alternative Procedure Used [Rule 338.71]

## 11) WATER LEVEL:

Static level 160 ft. below land surfaceDate May 22 1996

Artesian flow \_\_\_\_\_ gpm.

Date \_\_\_\_\_

## 12) PACKERS:

Type

Depth

2" RxR Rubber Packer299'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water WellsWELL DRILLER'S LICENSE NO. 2221W

ADDRESS 607 Hwy 19  
(Street or RFD)

Huntsville  
(City)

Tx 77340  
(State) (Zip)

(Signed) Henry Lee  
(Licensed Well Driller)

(Signed) \_\_\_\_\_  
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

4

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-20-6-5  
Located on map YES  
Received: C.F.S.

1) OWNER Eugene M. Poldrack (Name) Shahn Rd Huntsville, TX 77 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 1 miles in SE direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. Block No. Township  
Abstract No. Survey Name  
Distance and direction from two intersecting section or survey lines

See attached map. map on 60-21-57

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:  
Date drilled 8-10-81

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	315
4 1/2	315	328

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other  
If Gravel Packed give interval . . . from . . . ft. to . . . ft.

From (ft.)	To (ft.)	Description and color of formation material
0	28	Clay
28	30	Rock
30	50	Clay
50	86	Sand
86	160	Clay
160	168	Sand
168	180	Clay
180	182	Rock
182	299	Clay
299	300	Rock
300	307	Clay
307	328	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	315	2 1/2 in
2	"	galv.	307	318	"
2	"	RBS	318	328	1 1/2 in

CEMENTING DATA  
Cemented from 0 ft. to 315 ft.  
Method used Pressure  
Cemented by Weisinger (Company or Individual)

9) WATER LEVEL:  
Static level 184 ft. below land surface Date 8-10-81  
Artesian flow . . . gpm. Date . . .

10) PACKERS: Type Depth

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other  
Depth to pump bowls, cylinder, jet, etc., . . . ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated  
Yield: 20 gpm with . . . ft. drawdown after . . . hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? . . . Depth of strata . . .  
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E. Weisinger (Type or Print) Water Well Drillers Registration No. 1541

ADDRESS Weisinger Water Well, Inc. (Street or RFD) (City) (State) (Zip)  
2200 E. Davis  
Conroe, Texas 77301  
(713) 756-7721

(Signed) John E. Weisinger (Water Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

**RECEIVED**  
DEC 17 1981  
DEPT. OF  
WATER RESOURCES

#31  
ALKER

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-20-6L  
Located on map YES  
Received: C.F.S.

1) OWNER Bettielou Ausfahl  
(Name)  
2) LOCATION OF WELL: Walker 1  
County miles in W direction from Huntsville  
(N.E., S.W., etc.) (Town)

Address 4242 I-45 South, Huntsville, Tx. 77340  
(Street or RFD) (City) (State) (Zip)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. Block No. Township  
Abstract No. Survey Name  
Distance and direction from two intersecting section or survey lines

☒ See attached map. map on 60-18-3K

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:  
Date drilled 5/4/83

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 210

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other  
If Gravel Packed give interval ... from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-10		Sand streaks
10-22		Brown clay
22-56		Sand streaks
56-77		Sand
77-82		Brown clay
82-97		meally clay
97-112		Sand
112-119		Sand streaks
119-125		Sand
125-142		Brown clay
142-162		Meally clay
162-187		Brown clay
187-210		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	189	40
2 1/2	N	Plastic Undercut	209	189	#8

CEMENTING DATA  
Cemented from 189 ft. to 89 ft.  
Method used Presaure  
Cemented by Henry Lee  
(Company or Individual)

9) WATER LEVEL:  
Low  
Static level ft. below land surface Date  
Artesian flow gpm. Date

10) PACKERS: Type Depth  
Rubber R 184

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other  
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS:  
☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: 25 gpm with ft. drawdown after hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 23  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader/Henry Lee Water Well Drillers Registration No. 2026/2221  
(Type or Print)  
ADDRESS P.O. Box 638 Riverside Texas 77361  
(Street or RFD) (City) (State) (Zip)  
(Signed) [Signature] Holly Water Well Service  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED  
JUN - 7 1983  
DEPT. OF  
WATER RESOURCES  
(Use reverse side if necessary)

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JAN 10 1978  
WATER WELL DRILLERS BOARD  
AUSTIN, TEXAS



#3 WALKER

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-20-64  
Located on map YES  
Received: C.F.S.

1) OWNER Edna King Address I-45 Huntsville, Tx. 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Walker miles in \_\_\_\_\_ direction from \_\_\_\_\_  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. Map on 60-21-54

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 8/30/82

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	<u>Surface</u>	<u>341</u>

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
0-3	Red clay		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
3-42	Sand streaks		4"	N	Plastic	-1 1/2	320	40
42-49	Sand							
49-62	Brown clay							
62-88	Sand		2 1/2	N	Stainless steel	331-	321	#8
88-122	Sand streaks							
122-170	Brown clay							
170-189	Sand							
189-222	Brown clay							
222-227	Sand							
227-242	Brown clay							
242-317	Brown Meally clay							
317-341	Sand							
			CEMENTING DATA					
			Cemented from 320 ft. to 220 ft.					
			Method used Pressure					
			Cemented by Henry Lee					
			(Company or Individual)					

RECEIVED  
SEP - 7 1982

DEPT. OF  
WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 24  
Was a chemical analysis made? ☐ Yes ☒ No

9) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader, Henry Lee Water Well Drillers Registration No. 2026 2221  
(Type or Print)

ADDRESS P.O. Box 638 Riverside Tx. 77367  
(Street or RFD) (City) (State) (Zip)

(Signed) Ralph A. Cadwallader Holly Water Well Service  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JUL 15 1971  
WATER RESOURCES  
DEPARTMENT

#5

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-20-6m  
Located on map yes  
Received: C.F.S.

1) OWNER James O. Allen (Name) Address 3148 Old Houston Rd., Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker .07 miles in S direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. Block No. Township  
Abstract No. Survey Name  
Distance and direction from two intersecting section or survey lines

☒ See attached map. map on 60-28-4E

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:  
Date drilled 3 March 83

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 136

7) BOREHOLE COMPLETION:  
☐ Open Hole ☐ Straight Wall ☐ Underreamed  
☒ Gravel Packed ☐ Other  
If Gravel Packed give interval . . . from 80 ft. to 136 ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen  
0 28 gray clay 4 N sch 40 pvc 0 102 .40  
28 94 red clay 4 N manuf. scheen 102 132 .10  
94 132 .10 ga sand 4 N sch 40 pvc 132 136 .40  
132 136 gray clay

CEMENTING DATA  
Cemented from 0 ft. to 10 ft.  
Method used slurry  
Cemented by Clearwater Well Service (Company or Individual)

9) WATER LEVEL:  
Static level 50 ft. below land surface Date 5 March 83  
Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other  
Depth to pump bowls, cylinder, jet, etc., 102 ft.

12) WELL TESTS:  
☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 15 gpm with 5 ft. drawdown after 3 hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 38'  
Was a chemical analysis made? ☐ Yes ☒ No

14) CERTIFICATION:  
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME Eugene M. Poldrack Water Well Drillers Registration No. 2289 (Type or Print)  
ADDRESS 440 Graham Road Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)  
(Signed) Eugene M. Poldrack CLEARWATER WELL SERVICE (Water Well Driller) (Company Name)  
Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED

MAR 5 1983

DEPT. OF  
WATER RESOURCES

(Use reverse side if necessary)

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

# 45 WALKER

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Kevin Steely Address 602 Southwood Drive, Huntsville 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 1/4 miles in S direction from Huntsville  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map.

60-20-4P

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 6/7/84  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 177  
7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen	
						From	To	
0-2		Top soil						
2-18		Brown clay						
18-22		Sand	4	N	Plastic	11 1/2	163	40
22-42		Sand streaks						
42-72		Sand	2 1/2	N	PVC Undercut	175	165	#10
72-82		Sand streaks						
82-102		Blue clay						
102-142		Brown clay						
142-147		Sand streaks						
147-177		Sand						

CEMENTING DATA  
Cemented from 163 ft. to 63 ft.  
Method used Pressure  
Cemented by Henry Lee  
(Company or Individual)

9) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
Lead L 160

RECEIVED

JUL - 6 1984

DEPT. OF

(Use reverse side for additional information)  
WATER RESOURCES

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 30 Ft.  
Was a chemical analysis made? ☐ Yes ☐ No  
11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 158 ft.  
12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-20-6N  
Located on map yes

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

[illegible]

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

For TWDB use only Well No. 60-20-6H Located on map yes Received: 12/18/77 dls

WATER WELL REPORT

1) OWNER:  
Person having well drilled MR G.G. REYNOLDS Address 605 GRAHAM RD. HUNTSVILLE TEX. (Name) (Street or RFD) (City) (State)  
Landowner SAME Address (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER 3 miles in 2 direction from HUNTSVILLE (N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor League  
Block Survey  
Abstract No.  
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):  
New Well Deepening  
Reconditioning Plugging

4) PROPOSED USE (Check):  
Domestic Industrial Municipal  
Irrigation Test Well Other

5) TYPE OF WELL (Check):  
Rotary Driven Dug  
Cable Jetted Bored

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 199 ft. Depth of completed well 199 ft. Date drilled 11-18-77  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	RED CLAY
22	102	WHITE CLAY & SAND
102	178	BLUE CLAY
178	199	SAND

9) CASING:  
Type: Old New Steel Plastic Other  
Cemented from 189 ft. to 100 ft.  
Diameter (inches) Setting From (ft.) To (ft.) Gage  
4 189 +1 SCH 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated Slotted  
Diameter (inches) Setting From (ft.) To (ft.) Slot Size  
2 1/2 189 199 #10

7) COMPLETION (Check):  
Straight wall Gravel packed Other  
Under reamed Open Hole

8) WATER LEVEL:  
Static level 155 ft. below land surface Date 11-18-77  
Artesian pressure lbs. per square inch Date  
Depth to pump bowls, cylinder, jet, etc., 188 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes No If yes, by whom?  
Yield: gpm with ft. drawdown after hrs.  
Bailer test gpm with ft. drawdown after hrs.  
Artesian flow gpm  
Temperature of water

12) WATER QUALITY:  
Was a chemical analysis made? Yes No  
Did any strata contain undesirable water? Yes No  
Type of water? Good depth of strata 21

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HALLY Water Well Drillers Registration No. 801 (Type or Print)

ADDRESS P.O. Box 37 RIVERSIDE TEXAS (Street or RFD) (City) (State)

(Signed) E.A. HALLY E.A. HALLY CO, (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEPT. OF  
WATER RESOURCES


NOV 22 1977

RECEIVED

RECEIVED  
JAN 30 1978

Central Record  
Texas Dept. of Water Resources



Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas  WATER WELL REPORT		For TWDB use only Well No. <u>60-20-66</u> Located on map <u>yes</u> Received: <u>76</u> <u>dk</u>																									
<b>1) OWNER:</b>																													
Person having well drilled <u>L.W. NICHOLS</u> <small>(Name)</small>		Address <u>SOUTHWOOD DR. HUNTSVILLE TEXAS</u> <small>(Street or RFD) (City) (State)</small>																											
Landowner <u>SAME</u> <small>(Name)</small>		Address _____ <small>(Street or RFD) (City) (State)</small>																											
<b>2) LOCATION OF WELL:</b>																													
County <u>WALKER</u>		_____ miles in <u>NE</u> direction from <u>HUNTSVILLE</u> <small>(N.E., S.W., etc.) (Town)</small>																											
<div style="text-align: center;"></div> <p>(Use reverse side if necessary)</p>		or Give legal location with distances and directions from adjacent sections or survey lines.																											
		Labor _____ League _____																											
		Block _____ Survey _____																											
		Abstract No. _____ (NW¼ NE¼ SW¼ SE¼) of Section _____																											
<b>3) TYPE OF WORK (Check):</b> New Well _____ Deepening _____ Reconditioning _____ Plugging _____		<b>4) PROPOSED USE (Check):</b> Domestic _____ Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____		<b>5) TYPE OF WELL (Check):</b> Rotary _____ Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																									
<b>6) WELL LOG:</b>																													
Diameter of hole <u>6½</u> in. Depth drilled <u>608</u> ft. Depth of completed well <u>221</u> ft. Date drilled <u>9-7-76</u>																													
All measurements made from <u>0</u> ft. above ground level.																													
<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>From (ft.)</th><th>To (ft.)</th><th>Description and color of formation material</th></tr></thead><tbody><tr><td>0 - 22</td><td></td><td>SURFACE SAND</td></tr><tr><td>22 - 157</td><td></td><td>WHITE CLAY</td></tr><tr><td>157 - 187</td><td></td><td>FINE SAND</td></tr><tr><td>187 - 199</td><td></td><td>WHITE CLAY</td></tr><tr><td>199 - 221</td><td></td><td>SAND (WELL MADE HERE)</td></tr><tr><td>221 - 306</td><td></td><td>WHITE CLAY</td></tr><tr><td>306 - 608</td><td></td><td>STICKY BROWN CLAY</td></tr></tbody></table>			From (ft.)	To (ft.)	Description and color of formation material	0 - 22		SURFACE SAND	22 - 157		WHITE CLAY	157 - 187		FINE SAND	187 - 199		WHITE CLAY	199 - 221		SAND (WELL MADE HERE)	221 - 306		WHITE CLAY	306 - 608		STICKY BROWN CLAY	<b>9) Casing:</b> Type: Old _____ New _____ Steel _____ Plastic _____ Other _____ Cemented from <u>210</u> ft. to <u>150</u> ft.  Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____ <u>4</u> <u>210</u> <u>+1</u> <u>SC# 40</u>		
From (ft.)	To (ft.)	Description and color of formation material																											
0 - 22		SURFACE SAND																											
22 - 157		WHITE CLAY																											
157 - 187		FINE SAND																											
187 - 199		WHITE CLAY																											
199 - 221		SAND (WELL MADE HERE)																											
221 - 306		WHITE CLAY																											
306 - 608		STICKY BROWN CLAY																											
(Use reverse side if necessary)			<b>10) SCREEN:</b> Type <u>STAINLESS STEEL</u> Perforated _____ Slotted _____  Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____ <u>2½</u> <u>210</u> <u>221</u> <u># 8</u>																										
<b>7) COMPLETION (Check):</b> Straight wall _____ Gravel packed _____ Other _____ Under reamed _____ Open Hole _____			<b>11) WELL TESTS:</b> Was a pump test made? Yes _____ No _____ If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																										
<b>8) WATER LEVEL:</b> Static level <u>93</u> ft. below land surface Date <u>9-7-76</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>160</u> ft. below land surface.			<b>12) WATER QUALITY:</b> Was a chemical analysis made? Yes _____ No _____ Did any strata contain undesirable water? Yes _____ No _____ Type of water? <u>GOOD</u> depth of strata <u>22</u>																										
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																													
NAME <u>E.A. HOLLY</u> <small>(Type or Print)</small>		Water Well Drillers Registration No. <u>801</u>																											
ADDRESS <u>Box 37</u> <small>(Street or RFD)</small>		<u>RIVERSIDE</u> <small>(City)</small>		<u>TEXAS 77367</u> <small>(State)</small>																									
(Signed) <u>E.A. HOLLY</u> <small>(Water Well Driller)</small>		<u>E.A. HOLLY CO.</u> <small>(Company Name)</small>																											
Please attach electric log, chemical analysis, and other pertinent information, if available.																													
*Additional instructions on reverse side.																													

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
SEP 10 1976  
TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED  
JAN 14 1977  
Control Resources  
Texas Water Development Board

Send original copy by  
certified mail to the  
Texas Water Development Board  
P. O. Box 12386  
Austin, Texas 78711

State of Texas


## WATER WELL REPORT

For TWDB use only  
Well No. 60-20-6-D  
Located on map 11  
Received: 11/10  
Form GW 8  
Form GW 9

1) OWNER:  
Person having well drilled Robert Bean Address Highway #5 S Huntsville, Texas  
(Name) (Street or RFD) (City) (State)  
Landowner Same Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: Walker County Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_  
NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  of Section \_\_\_\_\_ Block No. \_\_\_\_\_ Survey \_\_\_\_\_  
(Circle as many as are known)  
miles in 2 Miles S direction from Huntsville, Texas  
(NE, SW, etc.) (Town)

Sketch map of well location with distances from adjacent section  
or survey lines, and to landmarks, roads, and creeks.



3) TYPE OF WORK (Check):  
New Well ☒ Deepening ☐  
Reconditioning ☐ Plugging ☐  
4) PROPOSED USE (Check):  
Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐  
5) TYPE OF WELL (Check):  
Rotary ☒ Driven ☐ Dug ☐  
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:  
Diameter of hole 6 in. Depth drilled 175 ft. Depth of completed well 175 ft. Date drilled 12-17-71  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-26</u>	<u>Red</u>	<u>Clay &amp; Sand</u>
<u>26</u>	<u>48</u>	<u>white sand</u>
<u>48</u>	<u>92</u>	<u>white clay &amp; sand stks</u>
<u>92</u>	<u>157</u>	<u>blue clay</u>
<u>157</u>	<u>175</u>	<u>sand</u>

From (ft.)	To (ft.)	Description and color of formation material
		(Use reverse side if necessary)

7) COMPLETION (Check):  
Straight wall ☒ Gravel packed ☐ Other ☐  
Under reamed ☐ Open hole ☐

8) WATER LEVEL:  
Static level 80 ft. below land surface Date 12-17-71  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

9) CASING:  
Type: old ☐ New ☒ Steel ☐ Plastic ☒ Other ☐  
Cemented from 164 ft. to 70 ft.

10) SCREEN:  
Type Stainless Steel Bar-Weld  
Perforated ☐ Slotted ☐

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
<u>4</u>	<u>X-1</u>	<u>164</u>	<u>Sch 40</u>

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
<u>2</u>	<u>165</u>	<u>175</u>	<u>8</u>

11) WELL TESTS:  
Was a pump test made? ☐ Yes ☒ No If yes by whom?  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☒ No  
Did any strata contain undesirable water? ☐ Yes ☒ No  
Type of water? good depth of strata 18

12) PUMP DATA:  
Manufacturer's Name Ruth-Berry  
Type Submersible H.P. 3/4  
Designed pumping rate 710 gpm ☐ gph ☒  
Type power unit Electric  
Depth to bowls, cylinder, jet, etc., 140 ft.  
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that  
each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801  
(Type or Print)  
Address Box 37 Riverside Texas  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. Holly Company  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TEXAS WATER  
DEVELOPMENT BOARD

MAY 21 1971

RECEIVED

RECEIVED  
JUN 18 1971  
Central Records  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711	State of Texas  WATER WELL REPORT	For TWDB use only Well No. <u>60-20-6B</u> Located on map <u>47</u> Received: <u>66 7/10/66</u> Form GW 8 _____ Form GW 9 _____																																																												
<div>1) OWNER: Person having well drilled <u>Humble Oil Company</u> Address <u>Houston, Texas</u> <div style="text-align: right;">(Name) (Street or RFD) (City) (State)</div> Landowner <u>Same</u> Address _____ <div style="text-align: right;">(Name) (Street or RFD) (City) (State)</div></div>																																																														
<div>2) LOCATION OF WELL: County <u>Walker</u> Labor _____ League _____ Abstract No. _____ NW <math>\frac{1}{4}</math> NE <math>\frac{1}{4}</math> SW <math>\frac{1}{4}</math> SE <math>\frac{1}{4}</math> of Section _____ Block No. _____ Survey _____ (Circle as many as are known) miles in _____ direction from _____ (NE, S.W., etc.) (Town) <div style="text-align: center; margin-top: 10px;">LOCATION OF WELL: <u>1/4 Mile North of Goree State Farm</u> <u>Huntsville, Texas</u></div><div style="text-align: right; margin-top: 10px;">NORTH ↑</div><div style="text-align: center; margin-top: 10px;">Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.</div></div>																																																														
<div>3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging <input type="checkbox"/></div> <div>4) PROPOSED USE (Check): Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> <b>SERVICE STATION</b> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other <input type="checkbox"/></div> <div>5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/></div>																																																														
<div>6) WELL LOG: Diameter of hole <u>4"</u> in. Depth drilled <u>327</u> ft. Depth of completed well <u>327</u> ft. Date drilled <u>4/26/66</u> All measurements made from <u>0</u> ft. above ground level.</div>																																																														
<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>From (ft.)</th><th>To (ft.)</th><th>Description and color of formation material</th><th>From (ft.)</th><th>To (ft.)</th><th>Description and color of formation material</th></tr></thead><tbody><tr><td>0</td><td>15</td><td>Red Clay</td><td>303</td><td>322</td><td>Sand</td></tr><tr><td>15</td><td>72</td><td>Broken Sand &amp; Red Clay</td><td>322</td><td>327</td><td>Shale, Sand Broken</td></tr><tr><td>72</td><td>96</td><td>Sand &amp; Sand Rock</td><td></td><td></td><td></td></tr><tr><td>96</td><td>142</td><td>White Clay</td><td></td><td></td><td></td></tr><tr><td>142</td><td>152</td><td>Sand</td><td></td><td></td><td></td></tr><tr><td>152</td><td>238</td><td>White Clay, Sandy</td><td></td><td></td><td></td></tr><tr><td>238</td><td>259</td><td>Sand, Bottom Broken</td><td></td><td></td><td></td></tr><tr><td>259</td><td>303</td><td>Tough White Clay</td><td></td><td></td><td></td></tr><tr><td colspan="6" style="text-align: right;">(Use reverse side if necessary)</td></tr></tbody></table>			From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material	0	15	Red Clay	303	322	Sand	15	72	Broken Sand & Red Clay	322	327	Shale, Sand Broken	72	96	Sand & Sand Rock				96	142	White Clay				142	152	Sand				152	238	White Clay, Sandy				238	259	Sand, Bottom Broken				259	303	Tough White Clay				(Use reverse side if necessary)					
From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material																																																									
0	15	Red Clay	303	322	Sand																																																									
15	72	Broken Sand & Red Clay	322	327	Shale, Sand Broken																																																									
72	96	Sand & Sand Rock																																																												
96	142	White Clay																																																												
142	152	Sand																																																												
152	238	White Clay, Sandy																																																												
238	259	Sand, Bottom Broken																																																												
259	303	Tough White Clay																																																												
(Use reverse side if necessary)																																																														
<div>7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed <input type="checkbox"/> Other <input type="checkbox"/> Under reamed <input type="checkbox"/> Open hole <input type="checkbox"/></div> <div>8) WATER LEVEL: Static level <u>170</u> ft. below land surface Date <u>4/26/66</u> Artesian pressure _____ lbs. per square inch Date _____</div>																																																														
<div>9) CASING: Type: old <input checked="" type="checkbox"/> New <input type="checkbox"/> Steel <input type="checkbox"/> Plastic <input type="checkbox"/> Other <input type="checkbox"/> Cemented from <u>0</u> ft. to <u>305</u> ft.</div> <div>10) SCREEN: Type <u>LOP Stainless, Wire Wrapped</u> Perforated <input type="checkbox"/> Slotted <input type="checkbox"/></div>																																																														
<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Diameter (inches)</th><th colspan="2">Setting</th><th rowspan="2">Gage</th><th rowspan="2">Diameter (inches)</th><th colspan="2">Setting</th><th rowspan="2">Slot size</th></tr><tr><th>From (ft.)</th><th>To (ft.)</th><th>From (ft.)</th><th>To (ft.)</th></tr></thead><tbody><tr><td>4"</td><td>0</td><td>305</td><td>9 1/2 Lb Std</td><td>2 1/2"</td><td>308</td><td>318</td><td>.012 Ga.</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>			Diameter (inches)	Setting		Gage	Diameter (inches)	Setting		Slot size	From (ft.)	To (ft.)	From (ft.)	To (ft.)	4"	0	305	9 1/2 Lb Std	2 1/2"	308	318	.012 Ga.																																								
Diameter (inches)	Setting			Gage	Diameter (inches)			Setting			Slot size																																																			
	From (ft.)	To (ft.)	From (ft.)			To (ft.)																																																								
4"	0	305	9 1/2 Lb Std	2 1/2"	308	318	.012 Ga.																																																							
<div>11) WELL TESTS: Was a pump test made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes by whom _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs Bailer test _____ gpm with _____ ft. drawdown after _____ hrs Artesian flow _____ gpm Date _____ Temperature of water _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did any strata contain undesirable water? <input type="checkbox"/> Yes <input type="checkbox"/> No Type of water? _____ depth of strata _____</div> <div>12) PUMP DATA: Manufacturer's Name <u>Red Jacket Mfg. Co.</u> Type <u>Submersible</u> H.P. <u>1 HP</u> Designed pumping rate _____ gpm <input type="checkbox"/> gph <input type="checkbox"/> Type power unit <u>Electric</u> Depth to bowls, cylinder, jet, etc., <u>220'</u> ft. below land surface.</div>																																																														
<div style="text-align: center;">I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.</div> <div>NAME <u>R. B. Lowry</u> Water Well Drillers Registration No. <u>146</u> (Type or Print) Address <u>4012 Fulton Street</u> <u>Houston, Texas</u> (Street or RFD) (City) (State) (Signed) <u>R. B. Lowry</u> <u>LOWRY WATER WELLS</u> (Water Well Driller) (Company Name)</div> <div style="text-align: center; margin-top: 10px;">Please attach electric log, chemical analysis, and other pertinent information, if available.</div>																																																														

**RECEIVED**  
JUN 1 1966

TEXAS WATER  
DEVELOPMENT BOARD

Central Records  
Texas Water Development Board

#51

~~Walker~~  
WALKER

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Tom Ragan Address Rt. 1 Box 159, Trinity, TX 75862  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: 6 miles in SSW NW direction from Lovelady Trinity  
County WALKER (N.E., S.W., etc.) (Town)

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
☒ See attached map. 100-20-4P

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 6/27/84  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
Surface  
7) BOREHOLE COMPLETION:  
☐ Open Hole ☐ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
0-2		Top soil	
2-10		Calichie	
10-14		Brown clay	4 N Plastic -1 1/2 482 40
14-15		Rock	
15-22		Sand streaks	2 1/2 N Stainless steel 490 480 #10
22-27		Sand	
27-32		Blue clay	
32-40		Blue clay & lignite	
40-42		Sand	
42-46		Rock	
46-50		Sand	
50-70		Blue clay	
70-76		Sand	
76-77		Rock	
77-82		Sand	
82-102		Blue clay	
102-110		Sand	
110-118		Sand streaks	
118-122		Sand	
122-188		Blue clay	
188-202		Sand streaks	
202-222		Blue clay	
222-242		Sand streaks	
242-282		Sandy blue clay	
282-302		Sand streaks	
302-319		Fine sand streaks	
319-321		Rock	
(Use reverse side if necessary)			

CEMENTING DATA  
Cemented from 482 ft. to 382 ft.  
Method used Pressure  
Cemented by Henry Lee  
(Company or Individual)

9) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
Lead L 475

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 28 Ft.  
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)  
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)  
(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.  
For TDWR use only  
Well No. 60-20-10B  
Located on map 400 MM

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

321-322	Blue clay
322-338	Sand streaks
338-357	Sand
357-362	Blue clay
362-368	Sand
368-402	Sandy blue clay
402-473	Blue clay
473-474	Rock
474-502	Sand

321-322-338-357-362-368-402-473-474-502  
TO: THE  
COMMISSION



#1 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-20-6K  
Located on map YES  
Received: C.F.S.

1) OWNER T. J. Berntson (Name) Address 722 West 39th. (Street or RFD) Houston, Texas (City) 77018 (State) (Zip)

2) LOCATION OF WELL: County Walker 1 miles in S direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map.

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 2-9-82

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 311

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0-2 top soil

2-12 brown and red clay

12-32 white clay

32-76 sand

76-140 brown clay

140-162 sand

162-205 brown clay

205-208 sand

208-262 brown meally clay

262-299 brown clay

299-311 sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	299	40
2 1/2	N	Stainless steel	300	310	#8

CEMENTING DATA

Cemented from 299 ft. to 249 ft.

Method used Pressure

Cemented by Holly Water Wells (Company or Individual)

9) WATER LEVEL:

Static level 150 ft. below land surface Date 2-11-82

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS:

Type	Depth
Lead 2 1/2 I	295

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder

☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 220 ft.

12) WELL TESTS:

☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated

Yield: 15 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? good Depth of strata 12 ft.

Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 (Type or Print)

ADDRESS P.O. Box 638 Riverside, Texas 77367 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] Holly Water Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



#2

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Pat Patterson Address 4504 I-45 South, Huntsville, TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL Walker County Walker miles in S direction from Huntsville city limit  
(N.E., S.W., etc.) (Town)

☐ Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map.

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 7/4/84

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 173

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2		Top soil						
2-13		Brown clay						
13-35		Sand	4	N	Plastic	-1 1/2	161	40
35-42		White clay						
42-62		Sand streaks	2 1/2	N	PVC Undercut	162	172	#12
62-65		Brown clay						
65-66		rock						
66-98		Sand						
98-100		Rock streaks						
100-122		Brown clay						
122-157		Meally clay						
157-173		Sand						

CEMENTING DATA  
Cemented from 161 ft. to 61 ft.  
Method used Pressure  
Cemented by Henry Lee  
(Company or Individual)

9) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
Lead L 157

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 16 Ft.  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-20-6P  
Located on map Yes C.F.S.

TDWR-0392 (Rev. 5-27-82)


DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:


"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



**GENERAL HIGHWAY MAP  
WALKER COUNTY  
TEXAS**

STATE DEPARTMENT OF HIGHWAYS  
AND PUBLIC TRANSPORTATION  
TRANSPORTATION PLANNING DIVISION  
IN COOPERATION WITH THE  
U. S. DEPARTMENT OF TRANSPORTATION  
FEDERAL HIGHWAY ADMINISTRATION



KEY TO COUNTIES

See it all in one shot and 1 supplementary shot!

**WALKER COUNTY TEXAS 236**

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us  
**WELL REPORT**

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>Gardner Glass Co.</b>	Address <b>7553 Highway 75 South</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77340</b>
----------------------------------	---	---------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker</b>	Physical Address <b>7553 Highway 75 South</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77340</b>
-------------------------	--	---------------------------	--------------------	---------------------

**3) Type of Work**

☒ New Well ☐ Deepening  
☐ Reconditioning

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # **60-20-6**

**4) Proposed Use (check)** ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

**6) Drilling Date**

Started **4/16/01**

Completed **4/23/01**

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
<b>10</b>	<b>-1.5</b>	<b>601</b>

**7) Drilling Method (check)**

☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other \_\_\_\_\_

From (ft)	To (ft)	Description and color of formation material
<b>0</b>	<b>1</b>	<b>Bit t.s.</b>
<b>1</b>	<b>41</b>	<b>Br.cl.</b>
<b>41</b>	<b>61</b>	<b>Sdy.cl.</b>
<b>61</b>	<b>107</b>	<b>Sd.</b>
<b>107</b>	<b>151</b>	<b>Br.cl.</b>
<b>151</b>	<b>161</b>	<b>Sd.</b>
<b>161</b>	<b>201</b>	<b>Sd.&amp;small gr.</b>
<b>201</b>	<b>206</b>	<b>Sd.</b>
<b>206</b>	<b>218</b>	<b>Br.cl.</b>
<b>218</b>	<b>241</b>	<b>Sd.</b>
<b>241</b>	<b>254</b>	<b>Sd.w/cl.st.</b>
<b>254</b>	<b>261</b>	<b>Cl.</b>

**8) Borehole Completion** ☒ Open Hole ☐ Straight Wall  
☐ Under-reamed ☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg. if commercial	Setting (ft)		Cage Casing Screen
			From	To	
<b>6</b>	<b>N</b>	<b>Blk. Steel</b>	<b>-1.5</b>	<b>537</b>	
<b>4</b>	<b>N</b>	<b>Pipebase screen</b>	<b>540</b>	<b>580</b>	<b>#10</b>
<b>4</b>	<b>N</b>	<b>Pipebase screen</b>	<b>580</b>	<b>600</b>	<b>#8</b>

**9) Cementing Data**

Cementing from **-1.5** ft. to **537** ft. # of sacks used **155**  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_

Method Used **Pressure**

Cementing By **R.McPike**

Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**

☐ Well plugged within 48 hours

Casing left in well:

Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., **378** ft.

**15) Water Test**

Typetest ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated  
Yield: **130** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water **Good** Depth of Strata **60**  
Was a chemical analysis made? ☐ Yes ☒ No

**10) Surface Completion**

☒ Specified Surface Slab Installed  
☐ Specified Surface Sleeve Installed  
☐ Pitless Adapter Used  
☐ Approved Alternative Procedure Used

**11) Water Level**

Static level **250** ft. below \_\_\_\_\_ Date **/ /**  
Artesian Flow \_\_\_\_\_ gpm. Date **/ /**

**12) Packers**

Type \_\_\_\_\_ Depth \_\_\_\_\_

**B-P Packer**

**517'**

Company or Individual's Name (type or print) **Holly Water Wells**

Lic. No. **3114W**

Address **2928 SH 19**

City **Huntsville**

State **TX**

Zip **77320**

Signature *Raymond M. Pike*  
Licensed Driller/Pump Installer

Date \_\_\_\_\_

Signature \_\_\_\_\_

Apprentice

Date \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
261	319	Br.cl.
319	320	Rock
320	321	Cl.
321	331	Br.cl.
331	341	Br.cl.w/sd.st.
341	381	Meally cl.
381	401	Br.cl.
401	421	Cl.
421	441	Meally cl.
441	449	Sd.st.
449	463	Sd.
463	498	Meally cl.
498	518	Sd.
518	534	Cl.
534	541	Sd.
541	581	Sd.w/cl.st.
581	595	Sd.
595	601	Sd.st.

FILED		SEQ. #
EMP. #	MAY 29 2001	DRILLING CO
COMMENT		CB



Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us  
**WELL REPORT**

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name **James Hall** Address **50 AUTUMN WAY** City **HUNTSVILLE** State **TX** Zip **77340**

**2) WELL LOCATION**

County **Walker** Physical Address **.5 miles E. of I-45 NEXT TO TDLT 6000E UNIT** City **TEXAS** State **TEXAS** Zip **77340**

**3) Type of Work**

☒ New Well ☐ Deepening  
☐ Reconditioning

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # **60-20-6**  
**4) Proposed Use (check)** ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

**6) Drilling Date**

Started **11/13/00**  
Completed **11/15/00**

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
6.75	-1.5	458

**7) Drilling Method (check)**

☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other \_\_\_\_\_

**From (ft) To (ft) Description and color of formation material**

0	2	Top bit soil
2	12	Br.cl.
12	22	Sa.st.
22	32	Sa.st. & bl.cl.
32	42	Sa.
42	62	Coarse sa & br.cl.st.
62	72	Sa.
72	82	Br.cl.
82	89	Sa.st.
89	128	Sa.
128	162	Wh.cl.
162	174	Sa.

**8) Borehole Completion** ☒ Open Hole ☐ Straight Wall  
☐ Under-reamed ☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	439	
2.5	N	SST Screen	444	454	#8

**9) Cementing Data**

Cementing from **-1.5** ft. to **10** ft. # of sacks used **2**  
**289** ft. to **439** ft. # of sacks used **7**

Method Used **Pressure**

Cementing By **H. Lee**

Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.

Method of verification of above distance \_\_\_\_\_

**13) Plugged**

☐ Well plugged within 48 hours

Casing left in well:

Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., **320** ft.

**15) Water Test**

Typetest ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: **15** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water **Good** Depth of Strata **17**  
Was a chemical analysis made? ☐ Yes ☒ No

**10) Surface Completion**

☐ Specified Surface Slab Installed  
☐ Specified Surface Sleeve Installed  
☒ Pitless Adapter Used  
☐ Approved Alternative Procedure Used

**11) Water Level**

Static level **224** ft. below Date **/ /**  
Artesian Flow \_\_\_\_\_ gpm. Date **/ /**

**12) Packers** FILE ID \_\_\_\_\_ Type \_\_\_\_\_ SEC # \_\_\_\_\_  
**2 - 2.5" Rubber Packer RxR 431' & 432'**

Company or Individual's Name (type or print) **Holly Water Wells, Inc.**

Address **2928 SH 19** City **Huntsville** State **Tx** Zip **77320**

Signature **[Signature]** Date \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_\_\_  
Licensed Driller/Pump Installer Apprentice



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
174	182	Wh.cl.
182	200	Br. & wh.cl.
200	205	Wh.cl.
205	237	Sa.
237	242	Sa.st.
242	252	Wh.cl.
252	254	r.st.
254	282	Wh.cl.
282	302	Sa. & cl.st.
302	310	Sa.st.
310	312	Rock
312	322	Milly cl
322	338	Sa.st.
338	345	Sa.
345	362	Cl & r.st.
362	439	Milly cl.
439	456	Sand
456	458	Cl.

FILE ID	REQ #
EMP #	DATE
JAN 10 2001	
COMMENT	58

THE UNIVERSITY OF CHICAGO  
DEPARTMENT OF CHEMISTRY  
1950-1951

1. The first part of the report is devoted to a description of the experimental work done during the year.

The work was carried out in the laboratory of Professor J. H. Goldstein, who has been very helpful in many ways. The first part of the report is devoted to a description of the experimental work done during the year. The work was carried out in the laboratory of Professor J. H. Goldstein, who has been very helpful in many ways. The first part of the report is devoted to a description of the experimental work done during the year. The work was carried out in the laboratory of Professor J. H. Goldstein, who has been very helpful in many ways.

2. The second part of the report is devoted to a discussion of the results of the experiments.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----